

A

C

E

F

A

C

T

S

<p><b>CL 134</b></p> <p><b>Phosphate Cooling Water Treatment</b></p>
--

**ACE CL 134** is a blend of phosphate, antiprecipitant, dispersant and a corrosion inhibitor formulated for use in cooling water systems to control scale, corrosion and sludge build-up.

**FEATURES & BENEFITS**

- Corrosion inhibiting formula - prevents steel/copper corrosion.
- Contains antiprecipitant - keeps solids in suspension.
- Concentrated formula - provides economical use.

**DIRECTIONS for USE:** Product usage will vary with operating load, composition of make-up water and feedwater. An initial dosage of 1/2 -1 gallon per 1000 gallons of water in the boiler is recommended. For normal conditions, dosage should be maintained at 3-5 ppm phosphate. Higher dosages will be required for high hardness make -up water (150 ppm calcium carbonate and above). Consult an ACE representative for complete program recommendations. For best results **ACE CL 134** should be added by chemical proportioning feed pump.

**SAFETY:** If ingested, drink large amounts of water. Do NOT induce vomiting. Seek IMMEDIATE medical help. For skin contact, flush with clean water for 15 minutes. Seek IMMEDIATE medical help if irritation persists. For eye contact, flush with clean water for 15 minutes, and seek IMMEDIATE medical help.

**CAUTION:** Avoid skin/eye contact. Wear gloves, protective clothing and goggles when using. Use in well-ventilated areas. Do not breathe vapors. **PROFESSIONAL USE ONLY. KEEP OUT OF THE REACH OF CHILDREN.**

**PHYSICAL PROPERTIES**

APPEARANCE	.....	Clear Liquid
COLOR	.....	Straw
pH	.....	11.5
SPECIFIC GRAVITY	.....	1.038
PACKAGING	.....	5-gallon pail 30-gallon drum 55-gallon drum