

A
C
E
F
A
C
T
S

Closed System Cleaner (CSC) Chill Water Cleaner

ACE CLOSED SYSTEM CLEANER (CSC) is a non-acid based liquid formulation blended from detergents and cleaning solvents designed to effectively loosen sludge, dirt, rust and corrosion left in re-circulating chilled and hot water systems as a result of oxygen and carbon dioxide attack on metallic parts of the system. **ACE CLOSED SYSTEM CLEANER (CSC)** will not harm metal surfaces.

FEATURES & BENEFITS

- Non-acid formula - does not attack metal surfaces.
- Concentrated formula - provides economical use.

DIRECTIONS for USE: Add 1-gallon of **ACE CLOSED SYSTEM CLEANER (CSC)** for every 200 gallons of water in the system and allow system to operate for 2 or 3 days. After 7-10 days, check line strainer ahead of pumps for blockages. Then drain, flush system with clean water prior to refilling the system. **ACE CLOSED SYSTEM TREATMENT (CST)** should now be added to the system to prevent further rust and corrosion. To determine the approximate number of gallons of water in the system, calculate 6-gallons of water per ton of capacity.

SAFETY: If ingested, drink large amounts of water. Induce vomiting and seek IMMEDIATE medical help. For skin contact, flush with clean water for 15 minutes. Seek IMMEDIATE medical help if irritation persists. For eye contact, flush with clean water for 15 minutes, and seek IMMEDIATE medical help.

CAUTION: Avoid skin/eye contact. Wear gloves, protective clothing and goggles when using. Use in well-ventilated areas. Do not breathe vapors. **PROFESSIONAL USE ONLY. KEEP OUT OF THE REACH OF CHILDREN.**

PHYSICAL PROPERTIES

APPEARANCE	Clear Liquid
COLOR	None
ODOR	None
pH	13.0
SPECIFIC GRAVITY	1.076
PACKAGING	4x1 gallon/case 5-gallon pail 55-gallon drum